

# **ATTACHMENT**

## **F**

The logo for 'Do-it' is written in a bold, stylized font. The 'i' in 'it' has a small horizontal line through it, resembling a screwdriver tip.

## dust masks

### ideal for:

- sanding of woodwork, furniture, autos
- grinding operations
- cleaning basements, attics, garages, dusty work areas
- yard, garden, and farm work

### directions for use:

- 1** Cup the mask under the chin with the metal nosepiece up.
- 2** Pull the headband around the back of the head and position for best fit.
- 3** Press the flexible metal nosepiece to fit snugly around the nose

Manufactured  
Fort Wayne, Ind.

### warning:

Task is not suitable for use against hazardous air contaminants, but not limited to, paint spray, asbestos, silica, cotton or other fumes, gases and vapors. It is the responsibility of the user to determine the suitability of this mask for his use. If there is any doubt as to the suitability of the Do-it® dust mask, consult an industrial hygienist.

### important notice to user:

This warranty is made in lieu of all warranties expressed or implied, but not limited to, the warranties of merchantability and purpose. Manufacturer's only shall be to replace such product proved to be defective. Determine the suitability of your intended use and assume and liability in connection.

Using this mask against asbestos, silica, grain dust, paint spray or other harmful substances may result in sickness or death.

If you are around harmful substances, use a proper government certified respirator. For assistance in determining the proper protection for your application, consult your supervisor, a safety official or call 3M:  
TOLL FREE 1-800-243-4630. In Canada, call 1-519-452-6137.

**Use Information:** The 8500 is to be used for comfort only. It offers relief from the bothersome effects of common nuisance dusts such as pollen, alfalfa and salt.

### **REMEMBER, the...**

- 8500 Comfort Mask is NOT a respirator
- • 8500 Comfort Mask is NOT for industrial use
- 8500 Comfort Mask is NOT government certified
- 8500 Comfort Mask is NOT to be used when dust concentrations are greater than the Permissible Exposure Limit
- 8500 Comfort Mask is NOT a paint spray respirator
- 8500 Comfort Mask is NOT to be used around sandblasting

**IF YOU NEED INFORMATION OR ASSISTANCE** to determine if the 8500 Comfort Mask is the best choice for your intended use, call 3M OH&ESD Technical Service Toll Free at 1-800-243-4630. In Canada, call 1-519-452-6137. Our technical staff will help evaluate your intended use and help you to make an informed choice. We can also put you in touch with your local 3M representative for more information about 3M Brand Health and Safety Products.

### **Easy to put on:**

- |                                                          |                                                      |                                                                                                 |
|----------------------------------------------------------|------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 1) Cup mask<br>under chin with<br>metal nosepiece<br>up. | 2) Pull<br>headband over<br>the back of the<br>head. | 3) Press soft metal<br>nosepiece so it<br>conforms snugly<br>across the curve of<br>the nose. ↓ |
|----------------------------------------------------------|------------------------------------------------------|-------------------------------------------------------------------------------------------------|



**3M**

**Occupational Health and Environmental Safety Division**

3M Center, Building 275-6W-01  
P.O. Box 33275  
St. Paul, MN 55133-3275

3M Canada, Inc.  
C.P. 5757  
London (Ontario) N6A 1T4

34-7039-1944-8